

List of All Chemicals

P Hyptis capitata (Lamiaceae)

Common name(s)

Knobweed

How used

Medicinal

*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Chemical	Plant Part	Low PPM	High PPM	StdDev	*Reference
2ALPHA-HYDROXYURSOLIC-ACID	Shoot	--	--		Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.
HYPTACTIC-ACID	Shoot	--	--		Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.
POMOLIC-ACID	Shoot	--	--		Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.
Activities (2)					
AntiHIV IC50=23.3 ug/ml	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.				
AntiHIV EC50=1.4 ug/ml	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.				
TORMENTIC-ACID	Shoot	--	--		Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.
Activities (1)					
Hypoglycemic 10 ppm					
URSOLIC-ACID	Shoot	--	--		Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.
Activities (89)					
Analgesic					
AntiEBV	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.				
AntiHIV EC50=2.0 ug/ml	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.				
AntiHIV IC50=6.5 ug/ml	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.				
AntiHIV IC85=18 ug/ml					
AntiHIV 6.7 uM					
AntiTGF-beta IC50=6-7.5 uM					
Antialzheimeran	Ringbom, T., Seguar, L., Noreen, Y., Perera, P., Bohlin, L. 1998. Ursolic Acid from Plantago major, a Selective Inhibitor of Cyclooxygenase-2 Catalyzed Prostaglandin Biosynthesis. J. Nat. Prod., 61(10): 1212-1215.				
Antiarrhythmic					
Antiarthritic	Planta Medica, 57: A56, 1991.				
Antibacterial					
Anticancer	Ringbom, T., Seguar, L., Noreen, Y., Perera, P., Bohlin, L. 1998. Ursolic Acid from Plantago major, a Selective Inhibitor of Cyclooxygenase-2 Catalyzed Prostaglandin Biosynthesis. J. Nat. Prod., 61(10): 1212-1215.				
Anticancer (Colon)	Ringbom, T., Seguar, L., Noreen, Y., Perera, P., Bohlin, L. 1998. Ursolic Acid from Plantago major, a Selective Inhibitor of Cyclooxygenase-2 Catalyzed Prostaglandin Biosynthesis. J. Nat. Prod., 61(10): 1212-1215.				
Anticarcinomic	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.				
Anticariogenic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.				
Anticholestatic 28-100 mg/kg orl	Shukla, B., Visen, P.K.S., Patnaik, G.K., Tripathi, S.C., Srimal, R.C., Dayal, R., and Dobhal, P.C. Hepatoprotective Activity in the Rat of Ursolic Acid Isolated from Eucalyptus Hybrid. Phytotherapy Research 6: 74-79, 1992.				
Anticomplement IC100 0.1 mM/l gpg	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
Anticomplement IC80-90 0.05 mM/l gpg	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
Antidiabetic	Chemical Constituents of Oriental Herbs (3 diff. books)				
Antiedemic					
Antiescherichic					
Antifibrosarcomic					

Antihepatotoxic 5-20 mg/kg ipr	Shukla, B., Visen, P.K.S., Patnaik, G.K., Tripathi, S.C., Srimal, R.C., Dayal, R., and Dobhal, P.C. Hepatoprotective Activity in the Rat of Ursolic Acid Isolated from Eucalyptus Hybrid. <i>Phytotherapy Research</i> 6: 74-79, 1992.
Antihistaminic	Tsuruga, T., Chun, Y.-T., Ebizuka, Y., and Sankawa, U. 1991. Biologically Active Constituents of <i>Melaleuca leucadendron</i> : Inhibitors of Induced Histamine Release from Rat Mast Cells. <i>Chem. Pharm. Bull.</i> 39(12): 3276-3278, 1991.
Antihyperlipidemic	
Antiinflammatory 1/3 indomethacin	
Antiinflammatory IC24=500 mg/kg	
Antileishmanic ED50=20 uM	
Antileukemic IC50=2.5-17.8 ug/ml	
Antilymphomic	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. <i>Herbal Medicine - A Guide for Health-care Professionals</i> . The Pharmaceutical Press, London. 296pp.
Antimalarial IC50=28-37 ug/ml	
Antimetastatic IC80=10 uM	
Antimutagenic IC57-80=80 mg/kg	
Antinephritic IC50=6-7.5 uM	
Antiobesity?	<i>Internat. J. Oriental Med.</i> 16: 4.
Antioxidant IC50=10 uM	
Antiperoxidant IC35=200 ug/ml	
Antiplasmodial IC50=28-37 ug/ml	
Antiproliferative IC50=15-20 uM	
Antistaphylococcic	
Antithromboxane IC50=50 uM	
Antitrypanosomic	
Antitumor	<i>Cancer Research</i> , 54: 701, 1994.
Antitumor (Breast) 0.5% diet	
Antitumor (Breast) IC50=15-20 uM	
Antitumor (Cervix)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Colon)	
Antitumor (Lung)	
Antitumor (Ovary)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Stomach) IC50=15-20 uM	
Antitumor (brain)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor-Promoter	<i>Planta Medica</i> , 57: A56, 1991.
Antiulcer	Shukla, B., Visen, P.K.S., Patnaik, G.K., Tripathi, S.C., Srimal, R.C., Dayal, R., and Dobhal, P.C. Hepatoprotective Activity in the Rat of Ursolic Acid Isolated from Eucalyptus Hybrid. <i>Phytotherapy Research</i> 6: 74-79, 1992.
Antiviral IC85=18 ug/ml	
Aromatase-Inhibitor	
Beta-Blocker	
Beta-Glucuronidase-Inhibitor ~100 mg/kg	
CNS-Depressant	
COX-2-Inhibitor IC50=130 uM/	
Cancer-Preventive	Stitt, P. A. <i>Why George Should Eat Broccoli</i> . Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidicide	
Cardioprotective	
Cardiotonic	
Choleretic 5-20 mg/kg orl	Shukla, B., Visen, P.K.S., Patnaik, G.K., Tripathi, S.C., Srimal, R.C., Dayal, R., and Dobhal, P.C. Hepatoprotective Activity in the Rat of Ursolic Acid Isolated from Eucalyptus Hybrid. <i>Phytotherapy Research</i> 6: 74-79, 1992.
Cyclooxygenase-Inhibitor	Ringbom, T., Seguar, L., Noreen, Y., Perera, P., Bohlin, L. 1998. Ursolic Acid from <i>Plantago major</i> , a Selective Inhibitor of Cyclooxygenase-2 Catalyzed Prostaglandin Biosynthesis. <i>J. Nat. Prod.</i> , 61(10): 1212-1215.
Cytotoxic 50 ppm	
Cytotoxic ED50=3.75 ug/ml	
Cytotoxic 7.2 uM	
Diuretic	
Elastase-Inhibitor IC50=~15 uM	
Hepatoprotective 1-100 ug/ml	
Hepatoprotective 10 mg/kg	
Hypoglycemic	Ivorra, M.D., Paya, M., and Villar, A. 1989. A Review of Natural Products and Plants as Potential Antidiabetic Drugs. <i>Journal of Ethnopharmacology</i> , 27: 243-275, 1989.

Immunomodulator
 Leucocytogenic
 Lipoxygenase-Inhibitor
 IC50=0.18 mM
 MMP-9-Inhibitor IC80=10
 uM
 Ornithine-
 Decarboxylase-Inhibitor
 Pesticide
 Piscicide
 Potassium-Sparing 3 mg/rat Iwu, M.M. 1993. Handbook of African Medicinal Plants. CRC Press, Boca Raton, FL 435 pp.
 Protease-Inhibitor
 IC85=18 ug/ml
 Protistocide Chemical Express, 7: 285, 1992.
 Quinone-Reductase-
 Inducer 5 ug/ml Lee, S. K., Song, Y., Mata-Greenwood, E., Kelloff, G. J., Steele, V. E., Pezzuto, J. M. 1999. Modulation of in vitro Biomarkers of the Carcinogenic Process by Chemopreventive Agents. Anticancer Res., 19: 35-44.
 Sodium-Sparing 3 mg/rat Iwu, M.M. 1993. Handbook of African Medicinal Plants. CRC Press, Boca Raton, FL 435 pp.
 TOPO-2-Inhibitor
 Trypanocide
 Vasopressor